SUNBRELLA®
PLUS

XL 200 CM



sunbrella®

SUNBRELLA.COM

DESIGN + PERFORMANCE™





Recommended
Recommandé

Possible

DIMENSIONAL STABILITY
Stabilité dimensionnelle

WATER RESISTANCE
Imperméabilité

BREATHABLE COMFORT
Respirant

Silver UPF 50+
SUNTT 5035 200

Cadet Grey UPF 50+
SUNTT 5530 200

Charcoal Grey UPF 50+
SUNTT 5049 200

Captain Navy UPF 50+
SUNTT 5057 200



Graphite UPF 50+
SUNTT 5082 200

Jet Black UPF 50+
SUNTT 5032 200

OVERALL CHARACTERISTICS / CARACTÉRISTIQUES GÉNÉRALES	
Composition	100% Sunbrella® acrylic *100% acrylique Sunbrella®*
Finish *Finition*	Resin based anti-fungi coating, water and UV resistant *Enduction anti-fongique à base de résines, imperméable et résistante aux UV*
Weave *Armure - ISO 7211-1*	*Canvas* *Toile*
Weight / *Poids - ISO 3801*	320 g/m²
Width / *Laize - EN 1773*	200 cm
FABRIC STRENGTH / RÉSISTANCE DU TISSU	
Oil-repellent properties *Oléofugation* - ISO 14419	5/8
Tensile strength *Résistance rupture* - ISO 13934-1	Warp 140 daN - Weft 130 daN *Chaîne 140 daN - Trame 130 daN*
Elongation at break *Allongement à la rupture* - ISO 13934-1	Warp 30% - Weft 15% *Chaîne 30% - Trame 15%*
Tear strength *Résistance déchirure* - ISO 13937-1	Warp 3,3 daN - Weft 2,5 daN *Chaîne 3,3 daN - Trame 2,5 daN*
Schmerber - ISO 811	1000 mm
Spray test - ISO 4920	4-5/5
Air permeability *Perméabilité à l'air* - ISO 9237	2,5 l/m²/s
COLOUR RESISTANCE / RÉSISTANCE DES COULEURS	
Colour fastness UV *Solidité coloris UV* - ISO 105 B02	7-8/8
Colour fastness weather condition *Solidité coloris intempéries* - ISO 105 B04	4-5/5
Colour fastness dry friction *Solidité coloris frottement sec* - ISO 105X12	5/5
Colour fastness wet friction *Solidité coloris frottement humide* - ISO 105X12	5/5
USE / UTILISATION	
Roll length / *Longueur de coupe*	35 ml
Recommended use *Utilisation recommandée*	Spray hood, bimini, sun awning, dodgers, camper & cockpit enclosures, console cover, external windshield cover, winter cover, wheel & winch cover, mainsail cover *Capote, bimini, taud de soleil, cagnards, fermetures arrières, fermetures de cockpit, housse de console, housse de pare-brise, housse d'hivernage, housse de barre à roue & de winch, housse de grand voile*
Guarantee / *Garantie*	5 years* / *5 ans***

UPF 50+ This pictogram indicates that the fabric filters more than 98% of UVB rays / *Ce picto vous indique que la toile filtre plus de 98% des rayons UV*

RECOMMENDED SKIN CANCER FOUNDATION — RECOMMENDED AS AN EFFECTIVE UV PROTECTANT

5 YEAR * — LIMITED WARRANTY

WARRANTY MASS DYED COLOURS

The values of this product may vary depending on a tolerance variation of +/- 5 %

Les valeurs de ce produit peuvent varier selon une tolérance de +/- 5 %.

Dickson-Constant RCS Lille Métropole 381 347 970 - Edition 09/2019 - Sunbrella® is a registered trademark of Glen Raven, Inc.
*see warranty conditions on www.sunbrella.com - **voir conditions générales de garantie sur www.sunbrella.com

PLDSXL PLE IN°18